

**NR511 Week Five Quiz SCORE: 100%**

1. Nausea is difficult to discern in a young child. What question should a clinician ask to determine if a child has nausea?

**Answer: Are you hungry?**

2. A 52 y/o f is suspected of having a gastric ulcer and will undergo an EGD. She is concerned because she heard that gastric ulcers can be malignant. How should the clinician respond?

**Answer: About 95% of gastric ulcers are benign**

3. A 72 y/o m, presents to the clinic for his annual physical. He states that he is worried because he only has a bowel movement every three days. How should the clinician respond?

**Answer: There is no such thing as a normal pattern of defecation**

4. A 26 Y/O M, recently returned from a camping trip with symptoms of acute gastroenteritis. He reports that he only ate vegetables from his garden that he canned prior to his outing. Which of the following pathogens might be causing his symptoms?

**Answer: Clostridium botulinum**

5. A 30 y/o m presents to the clinic with intermittent diarrhea. He states the loose stools always occur within 30 minutes after taking antacids. How should the clinician respond?

**Answer: Antacids may contain magnesium, which may cause diarrhea.**

6. A 29 y/o f just returned from Central America with traveler's diarrhea and presents to the clinic for evaluation. Which of the following is the best treatment?

**Answer: Supportive Care**